

Smart LED

Lighting solutions for sports facilities and multifunctional halls

TERA GEN3r SERIES

Cost-efficient. Sustainable. Customized.

SmartArena offers an innovative COB LED lighting solution with maximum uniformity and minimum stray light immission for sports facilities, stadiums and arenas.

From tennis courts to Bundesliga stadiums:

Over 150 successfully completed projects speak for SmartArena's expertise.





Why SmartArena?

The Austrian-based company offers innovative LED lighting solutions that meet the respective requirements in terms of light quality, thermal management and long service life.









most modern
COB LED technology



color rendering up to CRI95



low power consumption



absolutely flicker-free (HD, UHD, 4K, 8K)



extremely compact size



interchangeable reflectors



unrivaled uniformity of light distribution



anti-glare accessories guarantee minimum light immission



low stray light

Flexibility

The advice is tailored to the needs of your sports facility - both in terms of the floodlights used, the DLC shading system, the lighting calculation and, in the case of new buildings, the mast height of your sports facility.

All SmartArena LED types can also be integrated into the existing infrastructure of sports facilities, exhibition halls and industrial halls. They also guarantee to meet all international standards for all types of TV broadcasts in terms of light quality.

Areas of Application

- indoor and outdoor sports facilities and stadiums
- multipurpose halls
- sports halls
- industrial halls
- congress and exhibition halls



Calculation examples

Competition area 250 Lux Soccer field / value chart (E, horizontal)

229 245 230 233 248 253 254 249 243 238 236 238 243 251 254 253 252 233 230 246 229

239 259 261 263 260 262 263 261 256 253 251 253 257 261 264 264 261 259 265 257 241

244_264_265_262 262 266_266 265 261 256 251 249 251 256 261 264 266 262 265_265_261_242

237 262 258 260 260 261 261 257 252 247 244 246 251 257 261 259 260 259 258 264 237

237 263 255 250 253 255 256 253 248 243 242 243 248 253 256 255 252 249 254 262 236

232 260 250 238 243 248 252 248 244/240 239 241 244 248 252 248 243 238 249 258 233

228 258 247 234 238 247 249 247 241 239 238 239 241 247 249 247 238 234 247 258 228

233 258 249 238 243 248 252 248 244/241 239 240/244 248 252 248 243 238 250 260 232

236 262 254 249 252 255 256 253 248 243/242 243 248 253 256 255 253 250 255 263 237

237 264 258 259 260 259 261 257 251 246 244 247 252 257 261 261 260 260 258 262 237

242-261-265-265 262 266 264 261 256 251 249 251 256 261 265 266 262 262-265-264-244


241 257 265 259 261 264 264 261 257 253 251 253 256 238 249 254 253 248 233 230 245 229

242 246 230 233 252 253 254 251 243 238 236 238 243 249 254 253 248 233 230 245 229

-34.00 -54.00 m

Values in Lux scale 1: 773

			values III	Lux scale I. 773	
Grid: 21 x 13 Points					
E _m [Ix]	E _{min} [Ix]	E _{max} [Ix]	$g_{_1}$	$g_{_2}$	
251	228	266	0.91	0.86	
SMART ARENA Tera GEN3r			ADVANC	ED 28LP	
Electrical connected load			2	26,4 kW	



Made in Austria

Our production facility is located in Teufenbach in Styria. Each floodlight system undergoes various quality tests before delivery, is individually adapted to the respective sports or industrial facility and is offered with a 5-year full guarantee.









For clubs and local authorities, the switch to a less maintenance -intensive, energy-saving LED flood-light system is currently being made easier by various funding measures.

A new installation not only improves the quality of the lighting, but also helps to save energy and money in the future.

We will be happy to create an individual lighting calculation for you according to your specifications. Any size of sports facility in various sports - such as soccer, tennis, volleyball, basketball, etc. - can be realized.

You can find more information and all contact details on our website:





	SOLO	DUO	QUATTRO		
LUMINOUS FLUX	up to 45.000 Lm	up to 90.000 Lm	up to 180.000 Lm		
RATED POWER RATED VOLTAGE	≤ 350 W 100-240V/50 Hz	≤ 700 W 100-240V/50 Hz	≤ 1400 W 100-240V/50 Hz		
OVERVOLTAGE PROTECTION	6kV DM, 10kV CM				
LIGHT DISTRIBUTION INTERCHANGEABLE OPTICAL SYSTEM	the following reflectors are available R10° I R15° I R25° I R35° I R45° I R60°				
COLOR TEMPERATURE	3000 K, 4000 K, 5700 K				
POWER FACTOR	> 0,98				
IP PROTECTION CLASS	IP67				
DIMENSIONS	W 300 x H 300 x D 140 mm W 300 x H 660 x D 300 mm W 600 x H 660 x D 300 m (width W x height H x depth D, without bracket and optics)		W 600 x H 660 x D 300 mm and optics)		
WEIGHT	≤ 7 kg	≤ 14 kg	≤ 28 kg		
LUMINOUS FLUX MAINTENANCE	50.000 h L90, min. 120.000 h L80 (Ta = 15°C)				
FLICKER	< 1 % even when dimmed!				
CAMERA SUITABILITY	HD UHD/4k, 8k, SSM (super slow motion), High Speed				
ЕРА	from 0,083 m²	2x	4x		
CRI	70-95 CRI				

UPGRADES

DLC-SYSTEM (Direct-Light-Control)	System for limiting glare and brightening rooms using geometric cut-off technology	
HIGH END TV APPLICATION	TLCI > 95	
SWITCH DIMMING	Up to 3 freely programmable dimming levels-Retro-Fit: completely without additional wiring	
DMX/RDM DIMMING	10-100% stepless	
DALI DIMMING	DALI-2 / D4i	

SmartArena - a brand of Preworks GmbH Technologiepark 4/1 8510 Stainz / Austria

+43 3463 82317

www.smart-arena.com

